

Rezultati januarskog brojanja vodenih ptica 1998-2005.

Ilhan Dervović
udruženja za zaštitu prirode "Vidra" iz Visokog*

Dervović, I.: *Results of January counting of water birds 1998-2005*

The counting is being performed at the river Bosna, from Semizovac downstream to TE Kakanj, and at the river Fojnica, from Kiseljak to the outflow into the river Bosna in the period 1998-2005. 8 species are registered. The increase in number of Maallard, Cormorant and Grey Heron is noted.

Key words: Maallard, Cormorant, Grey Heron, counting, Bosnia and Herzegovina

Uvod

Počevši sa 1998. godinom, članovi udruženja za zaštitu prirode "Vidra" iz Visokog vrše prebrojavanje vodenih ptica. Brojanje se vrši na rijeci Bosni od Semizovca nizvodno do TE Kakanj, i na rijeci Fojnici od Kiseljaka do ušća u rijeku Bosnu. Rezultati se dostavljaju međunarodnoj organizaciji "Wetlands International" koja ih koristi u svojim istraživanjima i publikacijama (Wetlands International, 2002).

Rezultati

Rezultati prebrojavanja dati su po godinama, a promjene za *Anas platyrhynchos*, *Phalacrocorax carbo* i *Ardea cinerea* su grafički prikazane na dijagramu.

Januar 1998.		Januar 2000.	
<i>Anas platyrhynchos</i>	987	<i>Anas platyrhynchos</i>	695
<i>Anser anser</i>	23	<i>Phalacrocorax carbo</i>	395
<i>Phalacrocorax carbo</i>	467	<i>Ardea cinerea</i>	9
<i>Ardea cinerea</i>	18	<i>Tachybaptus ruficollis</i>	34
Januar 1999.		Januar 2001.	
<i>Anas platyrhynchos</i>	1025	<i>Anas platyrhynchos</i>	985
<i>Anser anser</i>	33	<i>Phalacrocorax carbo</i>	584
<i>Phalacrocorax carbo</i>	385	<i>Ardea cinerea</i>	26
<i>Ardea cinerea</i>	23	<i>Anas querquedula</i>	24
<i>Anas querquedula</i>	18	<i>Fulica atra</i>	27
<i>Cygnus olor</i>	2		

* Visočkih brigada 21, 71300 Visoko

Januar 2002.

<i>Anas platyrhynchos</i>	1420
<i>Phalacrocorax carbo</i>	720
<i>Anser anser</i>	6
<i>Ardea cinerea</i>	18
<i>Anas querquedula</i>	28
<i>Tachybaptus ruficollis</i>	36
<i>Fulica atra</i>	8

Januar 2004.


<i>Anas platyrhynchos</i>	1125
<i>Phalacrocorax carbo</i>	512
<i>Ardea cinerea</i>	62
<i>Anas querquedula</i>	34
<i>Tachybaptus ruficollis</i>	28
<i>Fulica atra</i>	8


Januar 2003.

<i>Anas platyrhynchos</i>	1680
<i>Phalacrocorax carbo</i>	835
<i>Ardea cinerea</i>	28
<i>Anas querquedula</i>	12
<i>Tachybaptus ruficollis</i>	32
<i>Fulica atra</i>	23

Januar 2005.

<i>Anas platyrhynchos</i>	1041
<i>Phalacrocorax carbo</i>	185
<i>Ardea cinerea</i>	57
<i>Anas querquedula</i>	18
<i>Anas crecca</i>	68
<i>Fulica atra</i>	6
<i>Tachybaptus ruficollis</i>	9





Zaključak

Ukupno je brojano 8 vrsta: *Anas platyrhynchos*, *Phalacrocorax carbo*, *Anser anser*, *Ardea cinerea*, *Anas querquedula*, *Tachybaptus ruficollis*, *Fulica atra* i *Cygnus olor*. Boravak labuda je zabilježen samo jednom, a divlja patka, kormoran i siva čaplja svih godina. Uočava se porast broja ove tri ptice.

Literatura

Wetlands International, 2002: Waterbird Population Estimate – Third Edition. *Wetlands International Global Series No. 12*, Wageningen.

News from the International Waterbird Census : Western Palearctic and Southwest Asia. Issue no. 8 – December 2005, www.wetlands.org